



pinpoint



*Information and
poster display cases*



Outdoor displays cases



A must! Sober and solid model for your outdoor displays.



1 poster case



30 mm

Single-sided poster display case. Aluminium frame 30 mm in thickness. **Integrated hinge door, replaceable and reversible without tools and without having to remove the poster display.** 4 mm plexichoc glazing. **"Safety" lock** with 2 keys on the door section. Elastomer seal and anti-condensation vents. Zinc electroplated steel backboard with a white lacquer finish. Finish: silver anodised or painted in our RAL colours (bordeaux 3004, green 6005, blue 5010, brown 8017).

2 60 x 40 posts sets for the range

Two aluminium posts 60 x 40 with black top caps. **Universal fixing system on the back of each poster display case**, using brushed stainless steel brackets. Finish: silver anodised or painted in our RAL colours (bordeaux 3004, green 6005, blue 5010, brown 8017). Height 2600 mm to be embedded into a concrete base or height 2200 mm mounted on base plates (ground hoop bolts supplied).





3 60 x 40 PLUS post

Posts used for alignment of several poster display cases: aluminium post 60 x 40 with a black top cap and 2 brushed stainless steel brackets. Silver anodised finish or painted in our RAL (bordeaux 3004, green 6005, blue 5010, brown 8017). Height 2600 mm to be embedded into a concrete base to ensure stability.

1 POSTER CASE WITH ANODISED FRAME

dim. ext. mm	reference	size
h 400 x 550	505000	A3
h 750 x 550	505001	A2
h 1050 x 750	505003	A1/DR

all doors: hinged

1 POSTER CASE WITH PAINTED FRAME

dim. ext. mm	reference	size
h 400 x 550	405000	A3
h 750 x 550	405001	A2
h 1050 x 750	405003	A1/DR

all doors: hinged

2 60 X 40 POST SET FOR THE RANGE

	ANODISED	PAINTED
root-fixing	516356	416356
on base plates	516357	416357

3 60 X 40 PLUS POST

	ANODISED	PAINTED
root-fixing	516460	416460

The ideal poster display case for public buildings and corporate offices.



1 poster case



58 mm

Single-sided poster display case. Aluminium frame 58 mm in thickness. **Integrated hinge door, replaceable and reversible without tools and without having to remove the poster display.** 4 mm plexichoc or Security glass. "Safety" lock with 2 keys on the door section (2 locks at a height of 1350 mm). Elastomer seal and anti-condensation vents. Zinc electroplated steel backboard with a white lacquer finish. Finish: silver anodised or painted in our RAL colours (bordeaux 3004, green 6005, blue 5010, brown 8017).

2 60 x 40 post set for the range

Two aluminium posts 60 x 40 with black top caps. **Universal fixing system on the back of each poster display case**, using brushed stainless steel brackets. Finish: silver anodised or painted in our RAL colours (bordeaux 3004, green 6005, blue 5010, brown 8017). Height 2600 mm to be embedded into a concrete base or height 2200 mm mounted on base plates (ground hoop bolts supplied).





2



3

3 60 x 40 PLUS post

Posts used for alignment of several poster cases: aluminium post 60 x 40 with a black top cap and 2 brushed stainless steel brackets. Silver anodised finish or painted in our RAL colours (bordeaux 3004, green 6005, blue 5010, brown 8017). Height 2600 mm to be embedded into a concrete base to ensure stability.

4 Lighting Kit

Lighting system that can be fitted easily on our poster case. High-intensity fluorescent tube strip lights, 18 to 58 watt output, supplied with an earth cable and a 80 mm reflective adhesive film laid externally on top of the glazing (instructions for electrical installation given on page 4).

1 POSTER CASE WITH ANODISED FRAME

dim. ext. mm	Plexichoc	Security glass	size
h 750 x 550	506000	506350	A2
h 1050 x 750	506002	506352	A1/DR
h 1350 x 1000	506004	506354	A0

all doors: hinged

1 POSTER CASE WITH PAINTED FRAME

dim. ext. mm	Plexichoc	Security glass	size
h 750 x 550	406000	406350	A2
h 1050 x 750	406002	406352	A1/DR
h 1350 x 1000	406004	406354	A0

all doors: hinged

2 60 X 40 POSTS SETS

ANODISED

root-fixing	516356
on base plates	516357

PAINTED

root-fixing	416356
on base plates	416357

3 60 X 40 PLUS POST

ANODISED

root-fixing	516470
-------------	---------------


PAINTED

root-fixing	416470
-------------	---------------

4 LIGHTING KIT

For poster cases 550 wide **ref. 509030** For poster cases 750 & 1000 wide **ref. 509031**

4



These robust and reliable poster display cases enhance both buildings and public areas.



1

1 poster case



75 mm

Single-sided poster display case. 75 mm thick aluminium frame. **Integrated hinge door or raising door using gas struts**, replaceable and reversible without tools and without having to remove the poster display. 4 mm plexiglas or Security glass. "Safety" lock with 2 keys (2 locks at a height of 1350 mm). Elastomer seal and anti-condensation vents. Zinc electroplated steel backboard with a white lacquer finish. Finish: silver anodised or painted in our RAL colours (bordeaux 3004, green 6005, blue 5010, brown 8017).



2 QUATRO post set

Two **oblong** and dovetailed **aluminium** posts 80 x 125, with black lacquered aluminium top caps. Each post supplied with 2 dovetailed cast aluminium clamps. **Poster display case fitted easily without drilling. Poster display case height adjustable.** Finish: silver anodised or painted in our RAL colours (bordeaux 3004, green 6005, blue 5010, brown 8017). Installation on base plates (ground hoop bolts supplied) or concreted directly in the ground.

3 QUATRO PLUS post

Post used for alignment of several poster cases or to create a right angled display: one 80 x 125 oblong post supplied with 4 cast aluminium clamps.





2

4 Lighting kit

Lighting system that can be fitted easily on our poster display case. High-intensity fluorescent tube strip lights, 18 to 58 watt output, supplied with an earth cable and a 80 mm reflective adhesive film laid externally on top of the glazing (instructions for electrical installation given on page 4).



2



4

1 POSTER CASE

ext. dim. in mm	ANODISED		PAINTED		hinged door raising door	size
	Plexi-chocs	Security glass	Plexi-chocs	Security glass		
h 1000 x 750	507080	507400	407080	407400	H	A1
h 1350 x 1000	507003	507353	407003	407353	H	A0
h 1000 x 1350	507081	507401	407081	407401	R	A0
h 1000 x 1600	507082	507402	407082	407402	R	21 A4
h 1000 x 2010	507083	507403	407083	407403	R	27 A4

2 QUATRO POST SET

	anodised	paintd
Post kit for height 1000 mm		
root-fixing	516400	416400
on base plates	516401	416401
Post kit for height 1350 mm		
root-fixing	516404	416404
on base plates	516405	416405

3 QUATRO PLUS POST

	anodised	paintd
Post kit for height 1000 mm		
root-fixing	516402	416402
on base plates	516403	416403
Post kit for height 1350 mm		
root-fixing	516406	416406
on base plates	516407	416407

4 LIGHTING KIT

for poster case 750 & 1000 wide	509020	for poster case 1350 & 1600 wide	509022
for poster case 2010 wide	509024		

The perfect solution for large poster display cases.



1 Dual-door poster case



30 mm

Single-sided poster display case. Aluminium frame 30 mm in thickness. 2 doors using integrated hinges, replaceable without tools and without having to remove the poster display. 4 mm plexichoc glazing. 2 "Safety" locks with 2 keys on the door. Elastomer seal and anti-condensation vents. Zinc electroplated steel backboard with a white lacquer finish. Finish: silver anodised or painted in our RAL colours (bordeaux 3004, green 6005, blue 5010, brown 8017).

2 60 x 40 post set for the range

Two aluminium posts 60 x 40 with black top caps.

Universal fixing system on the back of each poster display case, using brushed stainless steel brackets. Finish: silver anodised or painted in our RAL colours (bordeaux 3004, green 6005, blue 5010, brown 8017). Height 2600 mm to be embedded into a concrete base or height 2200 mm mounted on base plates (ground hoop bolts supplied).

3 Dual-door poster case



75 mm

Single-sided poster display case. 75 mm thick aluminium frame. 2 doors using integrated hinges, replaceable without tools and without having to remove the poster display. 4 mm plexichoc. 2 "Safety" locks with 2 keys. Elastomer seal and anti-condensation vents. Zinc electroplated steel backboard with a white lacquer finish. Finish: silver anodised or painted in our RAL colours (bordeaux 3004, green 6005, blue 5010, brown 8017).





4

4 QUATRO post set for poster case

Two **oblong** and dovetailed **aluminium** posts 80 x 125, with black lacquered aluminium top caps. Each post supplied with 2 dovetailed cast aluminium clamps. **Poster display case fitted easily without drilling.** Poster display case height adjustable. Finish: silver anodised or paint finish in our RAL colours (bordeaux 3004, green 6005, blue 5010, brown 8017). Installation on base plates (ground hoop bolts supplied) or concreted directly in the ground.

5 Lighting kit for the dual-door poster case

Lighting system that can be fitted easily on our Dual-door " poster display case. High-intensity fluorescent tube strip lights, 18 to 58 watt output, supplied with an earth cable and a 80 mm reflective adhesive film laid externally on top of the glazing (instructions for electrical installation given on page 4).



3



5

1 DUAL-DOOR POSTER CASE

ext. dim. in mm	anodised	paint	size
h 750 x 1200	505075	405075	2 x A2
h 1050 x 1400	505076	405076	12 A4

3 DUAL-DOOR POSTER CASE

ext. dim. in mm	anodised	paint	size
h 750 x 1200	514020	414020	2 x A2
h 1050 x 1800	514021	414021	2 x A1
h 1050 x 2300	514022	414022	2 x 15 A4

5 LIGHTING KIT FOR THE DUAL-DOOR POSTER CASE

for poster cases 1200 wide	509021
for poster cases 1800 wide	509025
for poster cases 2300 wide	509024

2 60 X 40 POSTS SETS

	anodised	paint
root-fixing	516356	416356
on base plates	516357	416357

4 QUATRO POST SET

	anodised	paint
root-fixing	516400	416400
on base plates	516401	416401

QUATRO PLUS POST SET

1 post with 4 clamps to create a poster case set.

	anodised	paint
root-fixing	516402	416402
on base plates	516403	416403



2



4

An elegant contemporary design with radius corners.



1 poster case



75 mm

Single-sided or **double-sided** poster display case. 75 mm thick aluminium frame. **Radius corners** in cast aluminium. Integrated hinge door or raising door using gas struts, replaceable and reversible without tools and without having to remove the poster display. 4 mm plexichoc or Security glass. 2 "safety" locks with 2 keys each (1 lock only on 1000 mm model). Elastomer seal and anti-condensation vents. Zinc electroplated steel backboard with a white lacquer finish. Finish: silver anodised or painted in our RAL colours (bordeaux 3004, green 6005, blue 5010, brown 8017).

2 QUATRO post set

Two **oblong** and dovetailed **aluminium** posts 80 x 125, with black lacquered aluminium top caps. Each post supplied with 2 dovetailed cast aluminium clamps. **Poster display case fitted easily without drilling. Poster display case height adjustable.** Finish: silver anodised or painted in our RAL colours (bordeaux 3004, green 6005, blue 5010, brown 8017). Installation on base plates (ground hoop bolts supplied) or concreted directly in the ground.

3 QUATRO PLUS post

Post used for alignment of several poster cases or to create a right angled display: one 80 x 125 oblong post supplied with 4 cast aluminium clamps.


4 Lighting kit

Lighting system that can be fitted easily on our "2000" poster display case. High-intensity fluorescent tube strip lights, 18 to 58 watt output, supplied with an earth cable and a 80 mm reflective adhesive film laid externally on top of the glazing (instructions for electrical installation given on page 4).





1 POSTER CASE

TABLE 011											
	ANODISED				PAINTED						
	Plexichoc		security glass		Plexichoc		security glass		hinged door raising door	size	
ext. dim. in mm	single- sided	double- sided	single- sided	double- sided	single- sided	double- sided	single- sided	double- sided			
h 1000 x 750	510070	512070	510420	511420	410070	412070	410420	411420	H	A1	
h 1350 x 1000	510003	512003	510353	512353	410003	412003	410353	412353	H	A0	
h 1000 x 1350	510071	512071	510421	511421	410071	412071	410421	411421	R	A0	
h 1000 x 1600	510072	512072	510422	511422	410072	412072	410422	411422	R	21 A4	
h 1830 x 1280	510076	512076	510426	511426	410076	412076	410426	411426	R	6 sheet	
h 1000 x 2010	510075	512075	510425	511425	410075	412075	410425	411425	R	27 A4	

2 QUATRO POST KIT FOR THE POSTER CASE

	anodised	painting
2-post kit for heights 750 mm and 1000 mm		
Root-fixing	516400	416400
on base plates	516401	416401
2-post kit for heights 1350 mm and 1710 mm		
root-fixing	516404	416404
on base plates	516405	416405

3 QUATRO PLUS FOR THE POSTER CASE

	anodised	painting
post kit for heights 750 mm and 1000 mm		
root-fixing	516402	416402
on base plates	516403	416403
post kit for heights 1350 mm and 1710 mm		
root-fixing	516406	416406
on base plates	516407	416407

4 LIGHTING KIT

for poster case	single-sided	double-sided	for poster case	single-sided	double-sided
750 and 1000 wide	509020	509032	6 sheet wide	509027	509033
1350 and 1600 wide	509022	509033	2010 wide	509024	509034

Outdoor

poster cases

*Instant impact
with this most
prestigious
of poster cases.*



1



1 poster case



150 mm

Single-sided or **double-sided** poster display case. 150 mm thick aluminium frame. **Radius corners** in cast aluminium. Raising door using gas struts, replaceable without tools and without having to remove the poster display. Security glass. 2 "safety" locks with 2 keys each. Elastomer seal and anti-condensation vents. Zinc electroplated steel backboard with a white lacquer finish. Finish: silver anodised or painted in our RAL colours (bordeaux 3004, green 6005, blue 5010, brown 8017).

2 QUATRO post set

Two **oblong** and dovetailed **aluminium** posts 80 x 125, with black lacquered aluminium top caps. Each post supplied with 2 dovetailed cast aluminium clamps. **Poster display case fitted easily without drilling.** Poster display case height adjustable. Finish: silver anodised or painted in our RAL colours (bordeaux 3004, green 6005, blue 5010, brown 8017). Installation on base plates (ground hoop bolts supplied) or concreted directly in the ground.

3 QUATRO PLUS post

Post used for alignment of several poster cases or to create a right angled display: one 80 x 125 oblong post supplied with 4 cast aluminium clamps.





4 Lighting kit

Lighting system that can be fitted easily on our poster display case. High-intensity fluorescent tube strip lights, 18 to 58 watt output, supplied with an earth cable and a 80 mm reflective adhesive film laid externally on top of the glazing (instructions for electrical installation given on page 4).



1 POSTER CASE - SECURITY GLASS

ext. dim. in mm	ANODISED		PAINTED		size
	single-sided	double-sided	single-sided	double-sided	
h 1350 x 1000	513100	513110	413100	413110	A0
h 1830 x 1280	513103	513113	413103	413113	6 sheet

All doors: raising

2 QUATRO POST SET

	anodised	painted
root-fixing	516404	416404
on base plates	516405	416405

3 QUATRO PLUS POST

	anodised	painted
root-fixing	516406	416406
on base plates	516407	416407

4 LIGHTING KIT

For poster cases 1000 wide	509020
For poster cases 1350 wide	509022
For poster cases 6 sheet wide	509027

*Elegance
and security
for effective
advertising.*



**Light boxes for
advertising posters**

**Visible area of poster
h 1710 x 1160**



150 mm

Different from a poster case, a light box has back-lighting and internal partitions to which the posters are attached, 20 mm behind the glazing.

Features of light boxes and advertising poster cases

- Light boxes: 4 mm tempered shatterproof glass, partitions are in 3 mm white light diffusing polycarbonate. EC approved lighting by 58 W fluorescent tubes with ballast (factory installation) Instructions for electrical installation given on page 4.
- Advertising poster case: non-illuminated 1 mm metal poster board, white lacquered finish.
- Poster attachment: by self-blocking friction clips.
- Finish: silver anodised or painted in our RAL colours (bordeaux 3004, green 6005, blue 5010, brown 8017).

1 Wall-mounted light box

Single-sided box. 150 mm thick aluminium frame. Radius corners in cast aluminium. Raising door using gas struts, replaceable without tools and without having to remove the poster display. 4 mm Security glass. 2 "safety" locks with 2 keys each. Elastomer seal and anti-condensation vents. Zinc electroplated steel backboard with a white lacquer finish. Finish: silver anodised or painted in our RAL colours.

2 Light box on 2 QUATRO posts

Double-sided box mounted on oblong 80 x 125 QUATRO posts. 150 mm thick aluminium frame. Radius corners in cast aluminium. Raising door using gas struts, replaceable without tools and without having to remove the poster display. 4 mm Security glass. 4 "safety" locks with 2 keys each. Elastomer seal and anti-condensation vents. To concrete directly into the ground.

3 QUATRO PLUS post

Post used for alignment of several light boxes or to create a right angled display: one 80 x 125 oblong post supplied with 4 cast aluminium clamps. To concrete directly into the ground.





1 3

2



1 LIGHT BOX ON 2 QUATRO POSTS

	anodised	painted	size
with lighting	518200	418200	6 sheet
without lighting	518210	418210	6 sheet

2 WALL-MOUNTED LIGHT BOX

	anodised	painted	size
with lighting	518000	418000	6 sheet
without lighting	518100	418100	6 sheet

3 QUATRO PLUS POST

	anodised	painted
root-fixing	516406	416406

